SABO CATALOGUE 2025

YOUR GARDEN, OUR CRAFT.

These names are synonymous with quality - the team behind the SABO brand.


Alexander G., Alexey N., Anastasija H., Andreas B., Andreas P., Armin S., Burkhard K., Can D., Carsten W., Christian E., Christian H., Christoph W., Daniel E., Daniel W., David G., Dieter S., Dietmar B., Dimitri M., Eduard K., Elisabeth R., Emanuel P., Florian L., Frank S., Friedrich D., Gabriele B., Hans L., Helmut B., Hermann K., Iris B., Jennifer D., Jens O., Johannes D., Jonas M., Julian S., Katharina H., Kay K., Konstantin D., Lars D., Lukas K., Luzie B., Maikel F., Marc H., Marian I., Maurice G., Melanie M., Michael K., Mike H., Mojtaba J., Natascha F., Nick M., Niclas R., Olav K., Omid J., Petra H., Pierre J., Robert S., Roman F., Romulus M., Sabine S., Salvatore V., Sascha S., Sebastian H., Sebastian M., Sebastiano V., Sergey C., Siegfried A., Stefan H., Stefan P., Stephan P., Thomas S., Thomas K., Thomas G., Tim K., Torsten W., Ute K., Uwe K., Viktoria B., Waldemar H., Yevhen V., Yilmaz B., Yusuf T., Zerae Girmay T. From us to you – **Passionately crafted**.

SABO



Where quality is at home.

SABO: Experience you can feel - for over 9 decades.



Uncompromising brand quality has been the focus at SABO for over nine decades. In Gummersbach, Germany, we combine advanced technologies, high-quality materials and sophisticated, functional design to create reliable tools that make gardening more efficient and enjoyable: We share our passion for innovation and quality with our SABO retail partners. Together, we want to continue to convince you of our expertise in the future.

Our versatile product range extends from powerful petrol lawnmowers and practical battery systems to multifunctional lawn tractors. On the following pages, you will find a range of practical information about our products, as well as helpful tips for successful lawn care.

Further back in the catalogue you will find a clear overview of our entire product range, including comparative technical data. We hope you enjoy discovering SABO products and wish you a successful gardening season!

Located in Gummersbach from the very beginning: The SABO manufacturing site.

Index

SABO – Your strong partner ingarden care Your Garden, your SABO: Find the ideal model

Our history, our values	6
Battery power for your garden	12
SABO lawnmowers: Quality you can rely on	14
Revitalise your lawn: Scarifying	16
SABO lawn tractors for large areas	18
The COMSTAR 210 garden shredder	20
Professional solutions for the highest demands	22

New season highlights We're constantly perfecting our products - whether it's through improved components or new features. Amongst many other refinements, we are proud to present our most exciting innovations for 2025.

4



Garden shredder

The COMSTAR 210 brings efficiency to gardening with its patented shredding technology. Thanks to the innovative ELIET CHOPPING PRINCIPLE[™], it shreds wood along its natural fibre structure - for optimum results when processing garden waste.

See more on page 20

Technical data at a glance

Battery lawn mowers	26
Battery garden tools	
Petrol lawn mowers	
Scarifiers	34
Lawn tractors	
Garden shredders	
Professional petrol lawn mowers	
Professional battery lawn mowers	
Professional high grass mowers	
•••••••••••••••••••••••••••••••••••••••	• • • • • • • •



Battery-powered combi-tool

Makes trimming hedges and pruning trees easier than ever: the pole pruner has an impressive 25 cm long saw blade, and the pole shears with 51 cm long double blades can cut branches up to 18 mm in diameter with precision and ease.

THE START OF YOUR **PERFECT TURF.**

Finding the right mower for your garden.

Your garden deserves an immaculate lawn - and the right lawn mower is an essential tool for achieving this.

But which model is right for you? What features are really important? With our tips and the high-quality SABO range, you are sure to find the machine that meets your requirements - for a comfortable, reliable and long-lasting mowing experience.

IIIIIIIIIIIIIIIIIIIIIII

THE RIGHT DRIVE AND THE RIGHT SIZE Battery mower, petrol mower or lawn tractor?

The size of your garden will determine which machine is right for you. Our powerful battery mowers are ideal for small to medium-sized lawns - they are light, guiet and environmentally friendly. For areas up to 5,000 m², we recommend our powerful petrol mowers. And if you have an even larger garden, you can enjoy the comfort of a lawn tractor and get the job done in comfort.

SUPERIOR VALUE A good lawn mower is an investment that

will last for many years. That is why quality should be the top priority: robust blades, a reliable drive system and a long-lasting gearbox are of decisive importance. SABO lawn mowers meet these requirements: they are subjected to rigorous endurance tests and inspection procedures right from the development phase to guarantee the highest quality and

and precise workmanship since 1932.

durability. We have been synonymous with German engineering



• GUARANTEED TO LAST

Whether your lawnmower is battery-powered or petrol-powered, you want to be confident that it will have a long service life. That is why you should look for comprehensive warranty conditions. SABO, for example, offers a 15-year guarantee on the aluminium housing of its lawn mowers*. This gives you the assurance that you will enjoy your SABO for many years to come.

LAWN MOWERS

Whether for small town gardens or extensive green spaces, SABO offers lawn mowers in various sizes with cutting widths from 40 to 54 cm. Choose from powerful petrol engines or environmentally friendly battery-powered models. With innovative technology and ergonomic design, our lawn mowers ensure maximum user comfort.

But whichever model you choose, all our mowers have one thing in common: the highest quality. Since 1932, our machines have stood for durability, reliability and perfect mowing results.

MULCHING MOWER

A lawn maintained with a mulching mower looks fresh and healthy all year round. Mulching leaves the finely shredded grass clippings on the lawn, acting as a natural fertiliser. This provides your lawn with nutrients in a natural way and saves you having to use additional fertiliser. With SABO mulching mowers - suitable for private and professional use - you can mulch effortlessly and efficiently.

By the way, almost all of our rear discharge lawnmowers can be retrofitted with a mulching kit, so you can switch between mowing and mulching at your convenience.

SCARIFIERS

Periodic scarifying ensures an even and healthy lawn: SABO scarifiers make millimetre-deep incisions in the soil, remove moss and thatch and thus promote soil aeration. The result: a vital lawn that can better absorb water and nutrients. Regular scarifying also encourages new growth and makes your lawn denser.

With proven SABO quality and durability, our scarifiers are the ideal addition to your lawn care equipment.





• SPARE PARTS, **EVEN YEARS LATER**

The availability of spare parts is an important factor in the purchase of a lawn mower. Make sure that you can easily obtain genuine spare parts in the long term. Avoid cheap imitations that can compromise the performance and safety of your machine. SABO offers you original spare parts even many years after a series has been discontinued - for maximum durability and value retention of your lawn mower.




• EXPERT ADVICE AND SUPPORT

Put your trust in professional advice and first-class service. Specialist dealers not only provide you with individual advice, but are also a reliable point of contact for maintenance and repairs. SABO lawn mowers are traditionally sold through trained and authorised dealers who are at your side with their expertise and service.

LAWN TRACTORS

If you have large areas to maintain, SABO lawn tractors are the perfect choice: they tackle even the biggest jobs effortlessly and offer maximum driving comfort. Equipped with powerful and durable 4-stroke engines and continuously variable hydrostatic transmission, they are ready for a wide range of applications. Large hoppers reduce the number of emptying operations and save valuable time.

With optional accessories such as a dozer blade, sweeper or mulching plug, our lawn tractors become true all-rounders - for year-round gardening and even more enjoyment.



HOW WE GOT **TO WHERE** WE STAND.



1932 In the early days, SABO only sold car oils

and greases. While Walter Born left the company just one year later, Heinrich Sanner established the second pillar of his company: the technical innovations department - always with the aim of offering his customers the best possible service. SABO also manufactured grease nipples for aeroplanes, traded in hand cleansers and operated a specialised graphite business. So Sanner spent the first few years exploring new business opportunities - until he came into contact with the green market for the first time.

SABO - from an ambitious founder to a living company philosophy.

TODAY The SABO product range has expanded

considerably in the more than 90 years since the company was founded. Today, in addition to lawn mowers, it also includes scarifiers, mulchers, lawn tractors, garden shredders and machines for municipal use. The range is complemented by cordless garden tools such as brush cutters and hedge trimmers, as well as high quality garden accessories. What has not changed - and never will - is the uncompromising demand for the highest quality. This is deeply rooted in SABO's DNA and is the reason why the brand stands for first-class workmanship and maximum reliability among hobby and professional gardeners alike.

2023

After almost 30 years, SABO is returning to private ownership. This marks the beginning of a new era, with a clear vision and a strong commitment to the company's values.



This return gives us the freedom to consistently implement our vision and respond even more strongly to the needs of our customers'

- Lars Daniel, Managing Owner

2017 No power cord, no petrol, no local emissions. SABO is marketing a new category of garden tools with modern battery technology - for both professional and amateur gardeners. From lawnmowers to brushcutters, hedge trimmers and leaf blowers, the powerful lithium-ion batteries allow convenient use anywhere.

The war is over. Sanner noticed that many hedges in Germany had not been cut for a long time. He looked for a way to make this time-consuming and tedious gardening work easier for people. And so, in 1952, he developed the electric hedge trimmer. The founder of the company quickly discovered the huge potential of this market - and just like the hedges, the idea quickly sprouted new shoots.

HOW IT STARTED.

It all started just after the Great Depression in 1932: Times were extremely hard. Nevertheless, full of optimism, Heinrich Sanner and his partner Walter Born founded the company SABO-Zentral-Vertrieb für Mineralölprodukte und technische Neuheiten. The syllable SA stood for Sanner and BO for Born. SABO was born.



 $2007\,$ SABO has always put the user first. In order to continuously improve the working experience, SABO introduced the 'Anti-Vibration System' for its professional lawnmowers in 2007. The system significantly reduces vibrations at the wrist. This allows

the user to work safely and in a

relaxed manner throughout the day.

1981

At the beginning of the 1980s, SABO added scarifiers to its product range.



in the lawnmowers.

1954

Heinrich Sanner was ambitious in his search for further ideas to make work in parks and gardens easier. And he was successful: in 1954, SABO developed its first motorised lawnmower for professional use - a pioneering step. Sanner's aim was always to achieve the best in all his products. Thanks to the economic upturn in Germany, motorised lawnmowers also became popular with amateur gardeners. It became clear to SABO that both the motor mower and the fittings sectors offered the greatest opportunities for growth. Sanner began to systematically market both areas.

1965

In 1965, SABO developed the world's first fully hydraulic mower for professional use For the user, this means even less work, less wear and tear, easier maintenance and thus greater economy. In 1969, the two divisions of lawn mowers and fittings are developed independently of each other. The development and production of awn mowers remained in Gummersbach, while the fittings division moved to Wiehl.

1978

Once again, it was the spirit of invention that pushed SABO forward at the end of the 1970s: in 1978, the brand introduced the patented TurboStar-\$ystem™. Thanks to this innovative idea, even wet grass can now be optimally cut and completely collected in the grass bag. Turbo also meant acceleration in economic terms:

Since then, SABO scarifiers have stood for quality, durability and performance. These are characteristics that were already recognised at the beginning of the 1980s, SABO took a decisive step forward and became the market leader in the lawnmower sector.

PASSION MADE IN GERMANY.*

How SABO and its employees have ensured the famous SABO quality for decades.

THE DAY THE LAWN MOWER LEARNT TO FLY

At SABO, we like to tell the anecdote of company founder Heinrich Sanner on the subject of quality control: Sanner simply tossed the lawnmowers out of the window. They were then examined to see whether they were still in good working condition. True to the motto: We don't build toys, we build professional equipment. But how do you maintain your reputation as a manufacturer of high-quality, reliable garden tools over many decades? Can quality be "commanded"? Or does it come from a tradition that is both lived and cultivated?

NOTHING IS GOOD UNLESS IT IS WELL TESTED

Nowadays, SABO equipment does not fly out of the window. And yet it is a long and difficult road from the first sketch to the first use on the lawn. Before the individual components are put together in production, we check that they meet our strict quality requirements.

The individual components are then assembled in our workshop in Gummersbach, close to Cologne, Germany. Numerous quality tests and inspections follow. In this way, we make sure at every stage of the development process that the mowers really do meet our requirements.


LAWN MOWER TESTING

Every new prototype of a SABO lawn mower has to undergo an ordeal before it goes into mass production. In an impact test, for example, the mechanical strength of the blade is tested using a steel tube and rod.

The vibration, drive and gearbox tests simulate the stresses and strains of everyday use. The blade testing checks the structural strength of the blades. Only after one million load cycles is the blade approved for serial production.

In the ball impact test, hardened steel balls are shot into the running blade and chassis, providing information on structural strength and shielding. In addition, our experts put the products through their paces under the toughest conditions in the open field test. All this is the hallmark of a SABO product and is the guarantee of our renowned high quality over a lengthy time period.







COLLABORATION IS KEY

The SABO brand is not only characterised by strict quality standards, but above all by a strong community of motivated people. The principle of production at SABO follows its own set of rules. Quality is not dictated here, but deliberately developed, making it the goal of every single employee.

Everyone involved is called upon to get involved. This means taking responsibility and getting involved beyond their own workplace and department. Every day, all employees at SABO make sure that quality is not an exception, but the rule.

COMMUNITY SPIRIT

One of the most important advantages at SABO is the close proximity of sales, development and production at the company's premises in Gummersbach. The routes are short, people know each other and talk face to face. In this way, colleagues become partners in the workplace - and everyone becomes a part of the SABO team. This exceptional feeling of community begins at SABO itself and extends through all departments all the way to our retail partners and customers.

We live and consciously cultivate this sense of community, even beyond the factory gates. It is the cornerstone of a vivid corporate culture and products that meet the highest quality and durability expectations. The experience of more than six decades is built into every SABO mower as standard, which you as a customer can see and feel at first glance.

Our SABO machines offer the highest level of safety, performance and reliability. Everything that you would expect from a good partner.

PERSONALITIES BEHIND THE SABO BRAND



Sabine Schenker Financial accountant at SABO

Since 1984, I have been part of the SABO family—and I couldn't be more convinced of my choice. My journey began with an apprenticeship as an industrial clerk. After spending several years in machine sales, I took a leap into accounting in 2010 and furthered my education to become a certified financial accountant. Today, I handle a variety of responsibilities for our dealers, particularly in the areas of payment transactions, trade credit insurance, and association billing. Managing master data updates and onboarding new specialized dealers also falls within my scope of work.

'SABO is more than just a workplace for me'

I love combining structure and flexibility in my job—there's never a dull moment. My day often starts early, usually around 7 a.m., allowing me to balance time for my family and home life. Achieving a healthy work-life balance has always been important to me, and SABO has supported me throughout the years in making it possible to manage both.

What I particularly value about SABO is the strong sense of solidarity. Here, we help each other out when it matters most. Whether during hectic times or when facing challenges, we all pull together. Even in my personal life, my heart beats for SABO. Our garden now boasts almost every device in the SABO range—whether it's a shredder, mower, or chainsaw. It fills me with pride to not only know our products from the office but also to use them at home and see their quality in action. I'm truly grateful to be part of this amazing team.

Kay Kaulisch Maintenance technician at SABO

Since 2008, I have been part of the SABO team and deeply connected to the company ever since. As a maintenance technician, it's my responsibility to keep our machinery in top shape—from repairs and maintenance to coordinating with external service providers. But my role extends beyond that. As a "jack-of-all-trades," I step in wherever technical solutions are needed or assistance is required.

My workday is as diverse as my tasks themselves, and every morning brings new challenges to tackle—whether it's in mechanical engineering, maintenance, or facility management.



'The variety

keeps my job exciting'

My journey with SABO began with an apprenticeship, which I successfully completed here. From the start, it was clear to me: I wanted to stay. Not just because of the exciting tasks but also because of the people. At SABO, we work together as a team, standing by each other through both good times and challenges.

The combination of camaraderie and passion for the product makes SABO special to me. It's a place where you feel at home and know you can count on others—just like in a great partnership.



'As a woman in assembly, I've earned my respect—and I'm proud of it'

Elisabeth Rautenberg Assembly technician at SABO

For 33 years, I have proudly been part of the SABO team. My main responsibility is the pre-assembly of handlebars, but I'm always ready to lend a hand wherever I'm needed. Every task I tackle during the day matters to me—it's about setting a goal each morning and accomplishing it by the end of the day.

For me, teamwork and solidarity are everything. What I value most about my work are my colleagues and the close collaboration we share. We may not be a large team, but we are a small family that can always count on one another.

When I first joined SABO, it was simply because I needed a job. What started as a pragmatic decision quickly evolved into a professional home. Today, I can confidently say that at SABO, I found not just a role but a place where I truly belong. As the only woman in the assembly department, I've worked hard to earn the respect of my colleagues—and I'm proud of that. It hasn't always been easy, but the recognition I've received from my peers proves that perseverance and dedication pay off. This journey has not only made me stronger but also deepened my connection with the team.

Over the years, I've come to deeply appreciate both my work and the people I share it with. SABO is much more to me than just a workplace. After more than three decades, I can say with pride that I've grown old with SABO—and I consider that a tremendous privilege. The sense of unity, the mutual support, and the familial atmosphere define this place and make it truly special for me.

Hans Christian Lashon Customer Service Technician at SABO.

For 25 years now, I've been part of the SABO team—a journey that, for me, actually began by chance. In 1998, I was looking for a structured day-shift position to support my evening school schedule, and I took on an open role at SABO.

A year later, I became a permanent member of the team. Today, I work in technical customer service, addressing the needs of our specialized dealers and end customers. Whether over the phone or in writing, I handle consultations, troubleshoot problems, and process warranty cases. What I enjoy most is helping customers and dealers in seemingly hopeless situations. Providing them with a solution, restoring their confidence, and showing them they made the right choice with SABO is what drives me.

'For me, it's all about finding solutions and building trust' What makes SABO truly special to me is the familial sense of camaraderie that has endured over the years. Despite structural changes and various challenges, the team has grown even closer, and this sense of togetherness is a key reason for my long tenure. Each day feels like a unique project, with my focus always on enhancing SABO's reputation and ensuring customer satisfaction.

I take pride in being part of one of the leading manufacturers of garden products and live by the motto: "We are among the very best."

One standout moment for me? September 13, 2023—a day when we reclaimed our success and took charge of our future. SABO represents more than just reliable products; it's also a team and work culture that continually motivates me and fuels my passion.



EMPOWERING YOUR GARDEN WITH SABO.

Pole saw / pole hedge trimmer COMBI-TOOL

A pole saw with a 25 cm blade and a speed of 9.8 m/s. The extension pole

allows you to cut branches that are difficult to reach. The Pole Hedge Trimmer has a 51 cm blade with twin blades that can easily cut branches up to 30 mm thick.

ledae trimme HC-66

> The double-sided sharpened blades guarantee precise results, while the three-way adjustable multi-function handle ensures comfortable handling. The sturdy magnesium body ensures high stability and long life.

Leaf blower LB-934

With infinitely

variable, lockable speed and a

powerful boost function that effortlessly

removes even the toughest leaves and dirt.

The heart of the SABO battery system is the powerful and reliable 40-volt lithium-ion battery. It can be easily removed and inserted, making charging particularly convenient. Maximum flexibility for all your gardening tasks.

Chainsaw **CS-25**

NEW

It reaches a chain speed of 20 m/s with a chain stop time of less than 0.2 seconds. At 3.8 kg, it is


Scarifiers **33-V ACCU**

With a working width of 33 cm, it is ideal for precise work on small to medium-sized lawns. Its compact size makes it easy to maneuver in narrow gardens and around obstacles. The scarifier has a dual battery slot, which offers longer running time and more flexibility.

A total of five lawnmowers, with and without drive, are available in the SABO battery system.

These include the 47-ACCU VARIO with double battery slot:

with the SABO TurboStar-System™, it ensures optimum collection results even in wet grass. The robust aluminium chassis with a 15-year guarantee is particularly durable. The variable rear-wheel drive allows effortless operation even on slopes.





12



Made in

Germany

SABO 47-VARIO E

Top of the range mower with powerful SABO engine: Enjoy high mowing comfort with a 65 litre collector capacity and variable drive. The electric instant start allows you to start quickly with the ignition key.


SABO 47-ACCU VARIO

The variable rear-wheel drive keeps this large battery-powered lawnmower moving forward safely. The central indicator on the handlebar provides easy speed control and a clear indication of battery status. Compatible with the powerful 40 V battery.




LAWN MOWERS

Novice, hobbyist or professional? Small, medium or large lawn areas? It doesn't matter. Our range of SABO lawnmowers has just the right machine for every need.



ALUMINIUM CHASSIS


Many of our SABO mowers are equipped with a high-quality aluminium chassis. This makes them lightweight and extremely robust - and includes a 15-year warranty*.



Do you mow on rough or challenging terrain? No worries: the optional rear-wheel drive ensures that your SABO and your mowing project progress safely. On many models, this can be variably adjusted to the walking speed.

HIGH PERFORMANCE BLADE

The single-piece blade is made from the highest quality spring steel and is manufactured in accordance with the most stringent production and safety guidelines.



TURBOSTAR™-SYSTEM

Most of our mowers are equipped with SABO's patented TurboStar™ system, which ensures that the grass is raised before it is cut and is effectively transported into the collection bag - even if it is damp.



REAR WHEEL DRIVE OPTION



SCARIFIERS

Scarifying loosens the lawn soil to create space for new grass growth and to ensure the grass roots receive sufficient amounts of air, water and nutrients. This enables fresh, healthy and dense new grass to grow back.




YOUR CHOICE

Whether it's a powerful petrol engine for large areas or a modern, environmentally friendly battery drive for noise-sensitive areas, the choice is yours.

SHARP, PRECISE, EFFECTIVE:

SABO scarifiers score the ground to a depth of just a few millimetres with their blades made of high-quality spring steel. The infinitely variable working depth adjustment allows you to adapt the depth precisely to the requirements of your lawn and the soil conditions.





OUT WITH THE MOSS, IN WITH THE GREEN

Old grass, moss and weeds don't stand a chance. SABO scarifiers gently and naturally rid your lawn of unwanted debris. The result is a perfectly maintained, vibrant lawn.

BEST RESULTS MADE EASY

For added convenience, the grass clippings can be deposited directly into the collector bag available as an accessory. This not only keeps your lawn healthy, but also tidy and clean - without the hassle of reworking.





SABO 33-V ACCU

With battery operation and a working width of 33 cm, it is ideal for small to medium-sized lawns. The dual battery slot, which is powered by the powerful 40 V battery from the SABO battery system, ensures a longer runtime.

SABO 38-BV

The powerful 38–BV petrol scarifier delivers outstanding results with its 38 cm working width, powerful 4–stroke OHV engine, robust and durable aluminium body and 15 sharp verticutter blades.

You can learn more about our scarifiers on page 34



LAWN TRACTORS

Discover effortless efficiency for large lawns with SABO lawn tractors. Equipped with powerful 2-cylinder engines, impressive power and hydrostatic drive, they are designed for the most demanding tasks. Learn more on page 35

GENUINE MULTI-TALENTS

Convert your SABO lawn tractor for winter service with the optional attachment frame. With the practical attachable sweeper you can easily and effectively take care of many jobs around your property.

Compatible with **fielbürger** accessories from:

Snow plough

For winter service with your SABO lawn tractor

Tielbürger TS125

Turn your lawn tractor into a powerful snow clearing vehicle with the TS125 snow plough: the rubber blade supplied as standard protects the ground.



LED HEADLIGHTS Bright LED headlights provide excellent visibility even when working in the dark.

ROBUST BUMPER For increased durability and shock absorption.

EASY GRASS BOX EMPTYING The 93-H and 103-H grass catcher box can be emptied with one handle using the tilting mechanism.



CONVENIENT TRAILER COUPLING

The standard trailer hitch allows you to use a wide range of attachments.



EASILY REMOVABLE CUTTING DECK The robust steel deck can be

removed in a few easy steps.



SMALL TURNING-RADIUS

QUICK CATCH BOX-EMPTYING





COMFORT FOR LARGE AREAS





With a working width of 120 cm, including a hopper for the debris.

Tielbürger TK520

120 cm working width, including a hopper for the debris. With the TK520, grounds maintenance is a snap. Available with a range of practical accessories.



Petrol drive

95 - 110 cm cutting width

Covers areas up to 10,000 m²

Rear and side discharge

Extra strong frame

Lawn-friendly tyres

Acoustic fill level indicator



EXTRA WIDE TYRES The 18-inch tyres provide optimum traction and protect the lawn.



Our high performance models offer uncompromising cutting results and convenient control from the driver's seat. Not only does this save you effort and energy, but it also makes it easier for you to work on larger lawns.

GARDEN SHREDDER



LOW NOISE AND Reduced vibration

The ingenious shredding system ensures low operating noise. The double wall of the shredding chamber and rubber buffers under the motor base and bearing also minimise vibration and noise.

The COMSTAR 210 garden shredder effortlessly turns branches, leaves and green waste into fine shredded material – efficiently, vibration-free and quietly. The patented shredding technology not only delivers impressive results, but also facilitates the sustainable management of garden waste.

Learn more on page 36



PATENTED CHIPPING TECHNOLOGY

The COMSTAR uses the innovative ELIET CHOPPING PRINCIPLE™ to efficiently chop wood along the fibres. Speciallydesigned blades work like small axes to ensure effortless chipping. 3,1 LITRE FUEL TANK Ready for extended

operations

SABD

1-Cylinder | 6,5 HP | 203cc

VANGUARD 200 4-STROKE ENGINE

STEEL FRAME Tough and durable 87 LITRE CATCH BOX Equivalent to the volume of a standard wheelbarrow

> SABO PRO WHEELS
> Steel wheels with solid rubber tyres, size 210 x 50 mm

BIG FILLING CHUTE

with 300 x 250 mm opening

and two protective flaps



HIGH PERFORMANCE EFFICIENCY

With 58,000 cutting strokes per minute, the COMSTAR shreds branches and green waste very quickly: it takes just five minutes to fill a wheelbarrow with finely shredded material. Optional sieve for wet material and leaves Standard sieve

PERFECT WOOD CHIPS

The shredded material is highly compacted, perfectly shredded and provides the perfect structure for rapid composting with an ideal moisture content.





USER-FRIENDLY AND COMPACT.

The feed hopper can be completely removed for easy storage or transport: ideal for space-saving storage.





Commercial mowers can be found on page 38 **Commercial scarifiers** can be found on page 34

PRO-MODELS

Powerful and resilient. With powerful engines and lots of features. For large lawns and plots. For decades many municipal and commercial users have relied on our on our reliable, robust technology.

FLEXIBLE CUTTING HEIGHT ADJUSTMENT Steel wheels provide impressive traction and durability. The individually adjustable cutting height of our professionals allows you to switch between cutting heights with ease.



ROBUST TRANSMISSION

The professional transmission on our mowers provides torque output independent of shifting force, ensuring high performance and a long service life.



ANTI-VIBRATION SYSTEM

Reduces vibrations on the handlebar, allowing the mower to be operated throughout the working day without compromising comfort or safety. Available on most professional models.



PRO ALUMINIUM CHASSIS

The aluminium chassis is extremely robust and designed for continuous use in the harshest conditions. Additional steel reinforcements on the inside and outside further increase durability.

SABO BATTERY POWER FOR PROFESSIONALS

The professional battery tools from SABO are your reliable companions for demanding gardening and landscaping work. With the modern 56 V cordless drive from EGO, they offer the right combination of power, flexibility and robustness.

LOW VIBRATION LEVELS SABO's professional battery-powered tools are

distinguished by their particularly low vibration levels. This is easy on the joints and makes all-day use noticeably more pleasant and less stressful - for maximum comfort in every task.



Our professional battery machines are so quiet that you can use them in noise-sensitive areas, without compromising on performance.



DUAL POWER

Two powerful lithium-ion batteries provide constant high power for long runtime. The main switch allows you to switch off the unit safely and completely.



DRIVE SYSTEM Flexible speed control: The drive on all VARIO

mowers can be conveniently controlled directly from the handlebar, so you can work efficiently even on steep terrain.

53-PRO E M VARIO

Powerful, precise and ergonomic, our professional mulcher is ideal for large lawns and the toughest conditions. With cutting height adjustment on each axle, VARIO drive for flexible speed and robust transmission, it offers maximum efficiency and durability.

THE WEATHER? DOESN'T MATTER

The fully sealed lithium-ion battery cells withstand rain and extreme weather conditions and deliver consistently reliable power. Whether it's a hot summer's day or a cold autumn's day, SABO professional cordless tools are unaffected.





TO SUIT ALL NEEDS:

Three rear discharge lawnmowers, a side discharge model, a mulching mower and a scarifier. Discover the full range of SABO battery-powered products on page 40.



SECURE START

Starting the professional battery mower models is as easy as it is safe: the blade only starts when the safety lever and the start button are pressed simultaneously.



POWER WHEN NEEDED

Our professional battery lawnmowers offer two power levels: EC0 mode maximises runtime, while POWER mode delivers full power

45-PROEV

Professional scarifier with 45 cm working width, 19 ball-bearing blades and infinite working depth adjustment. The robust aluminium body and vertical 56 V, 3.2 kW power head make it the perfect choice for professional users - quiet, emissionfree and durable

	40-ACCU CLASSIC	43- ACCU	43-ACCU VARIO	45-ACCU CLASSIC	47-ACCU VARIO
Cutting width	40 cm	43 cm	43 cm	45 cm	47 cm
For areas up to *	450 m ²	600 m ²	500 m ²	650 m ²	700 m ²
Engine model	Single battery-slot	Single battery-slot	Dual battery-slot	Single battery-slot	Dual battery-slot
	battery slot	Dattery slot	Dattery Slot	Dattery Slot	battery slot
Recommended	1x 4 Ah 40 V Li-Ion battery &	2x 4 Ah 40 V Li-lon battery &	2x 4 Ah 40 V Li-Ion battery &	1x 5 Ah 40 V Li-Ion battery &	2x 5 Ah 40 V Li-lon battery &
configuration	charger	charger	rapid charger	charger	rapid charger
Runtime *	~ 30 min	~ 40 min	~ 30 min	~ 48 min	~ 54 min
					011 1 0 0
Starting & operation	Click & Go	Click & Go	Click & Go Soft-Grip	Click & Go	Click & Go Soft-Grip
Drive	-	-	Variable speed 2,0-4,0 km/h	-	Variable speed 2,0-4,0 km/h
Cutting height	Central 5-fold	Central 7-fold	Central 8-fold	Central 5-fold	Central 8-fold
adjustment	2,5-8,0 cm	2,2-8,0 cm	2,5-8,0 cm	2,5-8,0 cm	2,5-8,0 cm
Mower chassis	Steel	Aluminium	Aluminium	Steel	Aluminium
material	2 years warranty ¹⁾	15 years warranty 10	15 years warranty ¹⁾	2 years warranty ¹⁾	15 years warranty ¹⁾
Collector bag	(0)		(5)	201	
capacity	40 I	45 I	45 I	60 I	45 I
SABO					
SABU Turbostar™-System	-	•	•	-	•
Mulching	-	o BSA649	o BSA643	Mulching kit included	o BSA644
Height-adjustable handlebar	3-fold	3-fold	3-fold	3-fold	3-fold
Transportation &	Foldable handle	Foldable handle	Foldable handle with quick release	Foldable handle	Foldable handle with quick release
storage		& carrying handle	& carrying handle		& carrying handle
Wheel bearings	Tapered roller bearings	Ball bearing	Ball bearing	Tapered roller bearings	Ball bearing
front/rear		San bournig	San bearing		Junibearing
Weight					
w/o battery	20 kg	22,5 kg	31 kg	23 kg	33 kg
ltem no.	SA401023	SA1782	SA521022	SA401523	SA521522

40-ACCU CLASSIC

> You can find all the information about our battery-powered lawn mowers at sabo-online.com

High-quality aluminium housing with 15-year warranty, practical

 \bullet Standard $~\circ$ Accessories $~^{1)}$ For private use only, the SABO warranty conditions apply.

26 * With the recommended battery configuration, varies depending on mowing habits, grass type and cutting height

Battery mowers

43-ACCU

For information on the battery-powered scarifier, see page 34

The centrepiece of the SABO battery system is the powerful, reliable 40-volt lithium-ion battery. It can be easily removed and



inserted for charging.

> 45-ACCU CLASSIC





47-ACCU VARIO

SABO battery-powered lawn mower with dual battery slot. quick release for particularly easy and space-saving storage.



are conveniently adjusted to the desired speed from the handlebar. Simply by pressing a button. The battery charge indicator and drive speed are clearly legible at all times.

Accessories

Mulching kit 40-ACCU Mulching kit 43-ACCU Mulching kit 43-ACCU VARIO Mulching kit 47-ACCU VARIO Standard charger Rapid charger Battery 40 V 4 Ah Battery 40 V 5 Ah Battery 40 V 8 Ah

ltem no.

BSA648 BSA649 BSA643 BSA644 SAA11781 SAA16509 SAA12800 SAA12774 SAU22166



	CT-PHCS Combi-tool
Engine	Brushless DC Engine
ltem no.	SA562524
	Pole hedge trimmer
Idle speed	4000 ± 10 % min-1
Blade speed	4000 ± 10 % min-1
Blade length	510 mm
Blade distance	30 mm
Weight w/o battery	3.45 kg with 2 bars 3.85 kg with 3 bars

MS-36 Battery brush cutter

	String	Blade	
Engine	Brushless DC Engine		
Idle speed	6300 ± 10 % rpm	6800 ± 10 % rpm	
Cutter head	String feed Ø 2,0mm	Blade	
Cutting path diameter	356 mm / 406 mm	254 mm	
Handle	Two-handed grip		
Includes	Shoulder strap, string spool & blade		
String feed	Semi-automatic		
Weight w/o battery	4,5 kg		
ltem no.	SA561121		

CS-25 Battery chainsaw Brushless DC Engine

Engine	Brushless DC Engine		
Chain speed	20 m/s		
Chain stop time	< 0,2 s		
Chain oil volume	180 ml		
Sword length	25 cm & 35 cm included		
Chain model 25 cm / 35 cm	Oregon 91PJ040X Oregon 90PX052X		
Drive link width / division 25 cm / 35 cm	1,3 mm - 3/8" 1,1 mm - 3/8"		
Weight w/o battery	3,8 kg		
Item no.	SA561521		

LB-934 Battery leaf blower

Engine	Brushless DC Engine
Max. air speed	209 km/h
Max. air volume flow rate	934 m ³ /h
Speed control	Variable & lockable (with turbo switch)
Weight w/o battery	2,15 kg
Item no.	SA560621

	pole saw
dle speed	9,8 m/s
Guide rail length	254 mm
Chain stop time	< 2 s
Chain oil volume	80 ml
Chain no.	SAE10523
Guide rail no.	SAE10522
Weight w/o battery	3,7 kg


	ST-30 Battery brush cutter
Engine	DC Engine
Idle speed	7500 ± 10 % rpm
Cutter head	String feed Ø 1,65 mm
Cutting path diameter	305 mm
Handle	Round grip
String feed	Automatic
Weight w/o battery	4,2 kg
Item no.	SA561022

	HC-66 Battery hedge trimmer
Engine	Brushless DC Engine
Idle speed	4000 ± 10 % rpm
Blade	Double-sided edge finish
Cutter spacing	30 mm
Handle	Adjustable in 3 positions
Cutting length	660 mm
Features	Magnesium casing & guide protection
Weight w/o battery	3,5 kg
ltem no.	SA560121

	LB-660 Battery leaf blower
Engine	DC Engine
Max. air speed	177 km/h
Max. air volume flow rate	663 m ³ /h
Speed control	Variable & lockable
Weight w/o battery	1,9 kg
ltem no.	SA560520

SRBD 25 cm saw blade	
battery brush cutter BS-36 Uncludes Shoulder strap, string Spoil & blade	
Battery leaf blower LB-934 LB-934 Includes 25 & 35 cm sword	





Battery garden tools

the battery system at SABO-online.com

Rapid charger Battery 40 V 4 Ah Battery 40 V 5 Ah Battery 40 V 8 Ah

SAA16509 SAA12800 SAA12774 SAU22166

	40- CLASSIC	43- Compact	43- DRIVE	43- VARIO	45-A CLASSIC	47- VARIO	47- VARIO E
Cutting width	40 cm	43 cm	43 cm	43 cm	45 cm	47 cm	47 cm
For areas up to	700 m ²	800 m ²	1.000 m ²	1.000 m ²	1.200 m ²	1.500 m ²	1.500 m ²
Engine	4-stroke-OHV	4-stroke-OHV	4-stroke-OHV	4-stroke-OHV	4-stroke-OHV	4-stroke-OHV	4-stroke-OHV
Net power Displacement Engine speed	2,1 kW 139 cm ³ 2800 rpm	2,7 kW 163 cm ³ 2800 rpm	2,7 kW 166 cm ³ 2800 rpm	2,7 kW 163 cm ³ 2800 rpm	2,7 kW 166 cm ³ 2800 rpm	3,4 kW 196 cm ³ 2800 rpm	3,4 kW 196 cm ³ 2800 rpm
Starting & Operation	Starter rope	Starter rope	Starter rope Soft-Grip	Starter rope Soft-Grip	Starter rope	Starter rope Soft-Grip	Electric start + Starter rope Soft-Grip
Drive	-	-	Single speed 3,6 km/h	Variable speed 2,5-4,3 km/h	Single speed 2,9 km/h	Variable speed 2,7-4,3 km/h	Variable speed 2,7-4,3 km/h
Cutting height adjustment	Central 5-fold 2,5-8,0 cm	Central 7-fold 2,2-8,0 cm	Central 8-fold 2,5-8,0 cm	Central 8-fold 2,5-8,0 cm	Central 5-fold 2,5-8,0 cm	Central 8-fold 2,5-8,0 cm	Central 8-fold 2,5-8,0 cm
Yower chassis naterial	Steel 2 years warranty ¹⁾	Aluminium 15 years warranty "	Aluminium 15 years warranty ^າ	Aluminium 15 years warranty ¹	Steel 2 years warranty ¹⁾	Aluminium 15 years warranty ¹⁾	Aluminium 15 years warranty າ
Collector bag capacity	40	45 I	65 I	65 I	60 I	65 I	65 1
SABO īurbostar™-System	-	•	•	•	-	•	•
fulching	-	o SA571	o BSA632	o BSA632	Mulching kit included	o BSA625	o BSA625
leight-adjustable andlebar	3-fold	3-fold	3-fold	3-fold	3-fold	3-fold	3-fold
ransportation & torage	Foldable handle	Foldable handle & carrying handle	Foldable handle with quick release & carrying handle	Foldable handle with quick release & carrying handle	Foldable handle	Foldable handle with quick release & carrying handle	Foldable handle with quick release & carrying handle
Vheel bearings ront/rear	Tapered roller bearings	Ball bearing	Ball bearing	Ball bearing	Tapered roller bearings	Ball bearing	Ball bearing
Veight	24 kg	27,5 kg	35,5 kg	36,5 kg	30,5 kg	38,5 kg	41 kg
tem no.	SA101023	SA206323	SA216324	SA226324	SA111523	SA226521	SA226621





47-VARIO





Mowing on an incline? No worries: you can drive your SABO safely and easily with the engageable rear-wheel drive.



With the electric instant start, you can easily start your SABO lawnmower with an ignition key. No need to pull the starter rope.



• Standard o Accessories ¹¹ For private use only, the SABO warranty conditions apply.





43-A ECONOMY Successor







You can find all the information about petrol lawn mowers at sabo-online.com



For information on the petrol scarifier, see page 34

Accessories Mulching kit 43-COMPACT Mulching kit 43-H 6 Mulching kit 47-H 5

ltem no.

SA571 BSA632 BSA625

	51-A CLASSIC	52-S A	53-M VARIO	54- VARIO	54- VARIO E	54-K Vario B		
utting width	51 cm	50 cm	53 cm	54 cm	54 cm	54 cm		
or areas up to	1.500 m ²	4.000 m ²	2.000 m ²	2.500 m ²	2.500 m ²	2.500 m ²		
ngine	4-stroke-OHV	4-stroke-OHV	4-stroke-OHV	4-stroke-OHV	4-stroke-OHV	4-stroke-OHC		
let power isplacement ngine speed	2,7 kW 166 cm ³ 2800 rpm	3,4 kW 196 cm ³ 2800 rpm	3,4 kW 196 cm ³ 2800 rpm	3,4 kW 196 cm ³ 2800 rpm	3,4 kW 196 cm ³ 2800 rpm	3,2 kW 196 cm ³ 2800 rpm		
tarting & peration	Starter rope	Starter rope Soft-Grip	Starter rope Soft-Grip	Starter rope Soft-Grip	Electric start + Starter rope Soft-Grip	Starter rope Blade brake clutch Soft-Grip		
rive	Single speed 2,9 km/h	Single speed 3,5 km/h	Variable speed 2,5-5,2 km/h	Variable speed 2,7-4,8 km/h	Variable speed 2,7-4,8 km/h	Variable speed 2,7-4,8 km/h		
utting height djustment	Central 5-fold 2,5-7,5 cm	For each wheel 7-fold 2,5-8,0 cm	For each axis 7-fold 2,0-9,7 cm	Central 8-fold 2,0-9,5 cm	Central 8-fold 2,0-9,5 cm	Central 8-fold 2,0-9,5 cm		
ower chassis aterial	Steel 2 Years warranty ¹⁾	Aluminium 15 Years warranty ^າ	Steel 2 Years warranty ¹⁾	Aluminium 15 Years warranty ¹⁾	Aluminium 15 Years warranty ^າ	Aluminium 15 Years warranty ^າ		
ollector bag apacity	601	-	-	75 I	75 I	75 I		
ABO ırbostar™-System	-	Side discharge	Mulching mower	•	•	•		
ulching	Mulching kit included	o BSA642	•	o SA609	o SA609	о SA610		
eight-adjustable andlebar	3-fold	3-fold	3-fold	3-fold	3-fold	3-fold		
ransportation & orage	Foldable handle	Foldable handle with quick release	Foldable handle with quick release & carrying handle					
heel bearings ont/rear	Tapered roller bearings	Ball bearing/ Bronze slide bearing	Ball bearing/ needle roller bearing	Ball bearing/ needle roller bearing	Ball bearing/ needle roller bearing	Ball bearing/ needle roller bearing		
eight	32 kg	41,5	37,5 kg	47,5 kg	50 kg	56 kg		
em no.	SA112123	SA217223	SA227023	SA227521	SA227621	SA222720		





• Standard o Accessories ¹ For private use only, the SABO warranty conditions apply.

52-S A





54-VARIO



54-K VARIO B

SABO lawn mower with 4-stroke OHC engine from Yamaha, practical blade brake, high-quality aluminium chassis and much more





On board the SABO 54-K VARIO B: After releasing the safety handle, the blade stops automatically. The motor continues to run and you can easily drive the mower to empty the collection bag.

Accessories

Mulching kit 52-S A Mulching kit 54 cm Mulching kit 54-K VARIO B Impact protection / deflector 54 cm

ltem no. BSA642 SA609 SA610 SA592



33

						Scarifiers				
	33-V ACCU	38-BV	45-PR0 V	45-PR0 E V				93-H	103-H	110-S
Working width	33 cm	38 cm	45 cm	45 cm		33-V ACCU	Cutting width/ blades	95 cm 2 Blades	102 cm 2 Blades	110 cm 2 Blades
For areas up to	400 m ²	1.500 m ²	4.000 m ²	4.000 m ²			For areas up to	6.000 m ²	7.000 m ²	10.000 m ²
Powered by Runtime / Fuel capacity	40 V Li-Ion 55 min *	Benzin 2,5 l	Benzin 3,6 l	56 V Li-Ion 70 min *			Engine Cylinders	4-stroke-OHV 2-cylinder	4-stroke-OHV 2-cylinder	4-stroke-OHV 2-cylinder
Engine	Dual battery-slot	4-stroke-OHV	4-stroke-OHV	EGO PU2710E	-	40 V BATTERY System	Net power Displacement Engine speed	12,6 kW 708 cm ³ 2600 rpm	12,2 kW 708 cm ³ 2450 rpm	13 kW 708 cm ³ 2700 rpm
Net power Displacement Engine speed	0,9 kW - 3200 rpm	2,3 kW 133 cm ³ 3400 rpm	4,0 kW 196 cm ³ 3300 rpm	3,2 kW - 3300 rpm		38-BV	Starting & Operation	Hydros	tatic & ergonomically	pedals
Recommended Configuration	2x 5 Ah 40 V Li-Ion battery & Charger	-	-	2x PRO E BA6720T Li-lon battery & PRO E CH7000E rapid charger			Drive		Continuously variable /drostatic transmissic 0 - 9 km/h	
Drive	-	-	-	-		5	Cutting height adjustment		Central 6-fold 3,0-8,0 cm	
Starting & Operation	Click & Go Quick engagement lever	Starter rope Quick engagement lever	Starter rope Quick engagement lever	Click & Go Quick engagement lever		45-PR0 V	Frame		orsionally rigid, durab nd highly robust fram	
Scarifying blades	14	15	19	19			Box capacity Capacity signal	250 I •	250 I •	Side discharge
Working depth adjustment	Continuously variable	Continuously variable	Continuously variable	Continuously variable			Mulching	。 SAB30123	。 SAB30223	Mulching wedge included
Mower chassis material	ABS plastic 3 Years warranty ^າ	Aluminium 5 Years warranty ^າ	Aluminium 5 Years warranty ^າ	Aluminium 5 Years warranty ^າ			Tyre size front / rear	15 x 6.00-6 / 18 x 8.50-8	15 x 6.00-6 / 18 x 8.50-8	15 x 6.00-6 / 18 x 8.50-8
Collector available	。 SA350	о SA561	-	-	Pa	45-PR0 E V	Weight net / gross	237 kg / 300 kg	242 kg / 305 kg	234 kg / 290 kg
Height-adjustable handlebar	2-fold	-	2-fold	2-fold	5100	6	Dimensions L (with collector box) x W x H in cm	190 (245) x 102 x 118	190 (245) x 102 x 118	196 x 116 x 118
Transportation & storage	carrying handle & foldable handlebar	foldable handlebar	foldable handlebar	foldable handlebar		56 V BATTERY SYSTEM	Trailer hitch	•	•	•
Wheel bearings front/rear	Slide bearing	Ball bearing	Ball bearing	Ball bearing			Front bumper	•	•	•
Weight w/o battery	17,5 kg	37 kg	45 kg	41 kg	More information scarifiers at sabo-o		Headlights	LED	LED	LED
ltem no.	SA530322	SA230822	SA331522	SA631524	Accessories Catcher bag 33-V ACCU Catcher bag 38-BV	Item no. SA350 SA561	ltem no.	SA270122	SA270222	SA270322

* With the recommended battery configuration, varies depending on mowing habits, grass conditions and cutting height
 ³⁴ For private use only, the SABO warranty conditions apply.







You can find all the information about SABO lawn tractors at sabo-online.com

Accessories

Mulch wedge 93-H Mulch wedge 103-H Impact protection / deflector ltem no.

SAB30123 SAB30223 SAB30323



Valuable for your lawn Composting

A well-functioning compost is at the heart of a sustainable garden. With the COMSTAR you can turn green waste into high quality compost. The finely shredded material ensures an optimal balance between green and woody material, promotes oxygenation and maintains ideal moisture levels.

The result is nutrient-rich compost that works as a soil conditioner, weed killer and fertiliser for a healthy garden.



Equipped for all garden waste Variety From coarse hedge cuttings to wet leaves, the COMSTAR handles a wide range of garden waste with ease. Thanks to its special shredding system, it can cope with thick branches as well as fine, leafy cuttings.

With the optional 'wet material and leaf screen' (item no. SAE10426), throughput remains high and the chipper remains clog-free, even with wet waste. This makes the COMSTAR a reliable partner for year-round garden maintenance.



COMSTAR 210

Vanguard 200

4-stroke-OHV

1-cylinder

4,8 kW 203 cm³

3200 rpm

3,1 L

Cyclone + cartridge

50 mm

58.000

14 wheelbarrows / hour

ELIET CHOPPING PRINCIPLE™

18 HS-Steel (reversible)

300 x 250 mm

1200 mm

Steel

SABO Professional

205 x 55 mm

210 mm

Direct

87 L

1360 x 660 x 1320 mm

740 x 660 x 1030 mm

SA282124

Engine

Cylinders

Net power

Displacement

Engine speed

Fuel capacity

Branch thickness

Work performance

Cutting technology

Filling opening

Feed height

Frame

Wheels

Ø x width

Cutting width

Transmission

volume

Dimensions

LxBxH

Storage

LxBxH

Item no.


Collecting container

Blade

Air filter

Cuts / min

Garden shredder





Wet material sieve

All information about COMSTAR can be found at SABO-online.com

Accessories

COMSTAR Wet material sieve

SAE10426

Item no.





Perfect for composting BioTech[™]-shreds

Thanks to the CHOPPING PRINCIPLE[™] cutting process, the BioTech[™] chips produced by the COMSTAR are highly compressed and finely shredded. This optimum fibre structure accelerates the decomposition process and ensures a loose mixture with an ideal moisture content. The result is an efficient composting process and high quality compost for your garden.





Natural care for soil and plants Mulch

The fine chips of COMSTAR are perfect for mulching in flower beds or under shrubs. A 5cm layer of mulch inhibits weed growth, regulates soil moisture and protects against erosion during heavy rainfall. At the same time, it keeps the soil moist longer during dry periods and ensures healthy plant growth - without the use of herbicides.





		(7.000	50 850	57. DD0 M	F (DD 0	
	43- PRO	47-PRO VARIO	52-PRO S K A PLUS	53-PRO M VARIO	54-PRO VARIO	54-PRO K VARIO B PLUS
Cutting width	43 cm	47 cm	50 cm	53 cm	54 cm	54 cm
For areas up to	1.500 m ²	2.500 m ²	5.000 m ²	5.000 m ²	3.500 m ²	4.000 m ²
Engine	4-stroke-OHV	4-stroke-OHC	4-stroke-OHC	4-stroke-OHV	4-stroke-OHC	4-stroke-OHC
Net power Displacement Engine speed	2,6 kW 163 cm ³ 2800 rpm	3,2 kW 190 cm ³ 2800 rpm	3,2 kW 190 cm ³ 2800 rpm	3,7 kW 201 cm ³ 2800 rpm	3,2 kW 189 cm ³ 2800 rpm	3,2 kW 190 cm ³ 2800 rpm
Starting & Operation	Starter rope	Starter rope Soft-Grip	Starter rope Soft-Grip	Starter rope Soft-Grip	Starter rope Soft-Grip	Starter rope Blade brake clutch Soft-Grip
Anti-Vibrations- System	-	•	•	•	•	•
Drive	-	Variable speed 2,7-4,5 km/h	Variable speed 2,2-3,7 km/h	Variable speed 2,0-3,5 km/h	Variable speed 2,7-4,8 km/h	Variable speed 2,7-4,8 km/h
Cutting height adjustment	Central 8-fold 2,5-8,0 cm	For each wheel 7-fold 2,5-8,0 cm	For each wheel 7-fold 2,5-8,0 cm	For each axis 7-fold 3,0-9,5 cm	For each wheel 8-fold 2,5-10,5 cm	For each wheel 8-fold 2,5-10,5 cm
Mower chassis material	Aluminium with Steel inlets 15 Years warranty ¹⁾	Aluminium with Steel inlets 15 Years warranty ¹⁾	Aluminium with Steel inlets 15 Years warranty ¹⁾	Steel 2 Years warranty 1)	Aluminium with Steel inlets 15 Years warranty ¹⁾	Aluminium with Steel inlets 15 Years warranty ¹⁾
Collector bag capacity	65 I	65 I	Side discharge	Mulching mower	75 I	75 I
SABO ſurbostar™-System	-	•	Side discharge	Mulching mower	•	•
Yulching	o BSA645	o BSA631	o BSA641	•	。 SA612	о SA610
leight-adjustable nandlebar	3-fold	3-fold	2-fold	3-fold	2-fold	2-fold
Fransportation & storage	Foldable handle & carrying handle	Foldable handle & carrying handle	Foldable handle	Foldable handle & carrying handle	Foldable handle & carrying handle	Foldable handle & carrying handle
Wheel bearings iront/rear	Ball bearing	Ball bearing/ Bronze slide bearing	Ball bearing/ Bronze slide bearing	Ball bearing/ Bronze slide bearing	Ball bearing/ Bronze slide bearing	Ball bearing/ Bronze slide bearing
Fuel capacity	1,0 I	1,2 I	6,0 I	0,91	1,0 I	6,0 I
Veight	33 kg	49 kg	51 kg	51,5 kg	58 kg	63 kg
tem no.	SA301020	SA321520	SA312120	SA327324	SA327424	SA322720



The SABO PLUS models can mow for up to eight hours at a time thanks to the extra-large 6-litre fuel capacity.

54-PRO K VARIO

Commercial lawn mower with 4-stroke OHC engine from Yamaha. Blade brake clutch, 6-litre fuel capacity, steel-reinforced aluminium chassis, and much more.

• Standard • Accessories ¹ For private use only, the SABO warranty conditions apply.

Commercial petrol mowers

47-PR0 VARIO










B PLUS



The high-grade die-cast aluminium chassis is reinforced with additional steel plates both inside and outside





Accessories

Mulching kit 43-PRO Mulching kit 47-PRO Mulching kit 52-PRO S A Mulching kit 54-PR0 Mulching kit 54-PRO BBC Impact protection / deflector 54 cm SA592

Item no.

BSA645 BSA631 BSA641 SA612 SA610

_					
	43-PRO E PUSH	47-PRO E VARIO	50-PRO E S VARIO	53-PRO E M VARIO	54-PRO E VARIO
Cutting width	43 cm	47 cm	50 cm	53 cm	54 cm
For areas up to	1.500 m ²	2.500 m ²	5.000 m ²	5.000 m ²	3.500 m ²
Engine Net power ECO/TURBO Engine speed ECO/TURBO	EGO PU2700 1,7 kW / 2,4 kW 2400 rpm / 2800 rpm	EGO PU2700 1,7 kW / 2,4 kW 2400 rpm / 2800 rpm	EGO PU2700 1,7 kW / 2,4 kW 2400 rpm / 2800 rpm	EGO PU2700 1,7 kW / 2,4 kW 2400 rpm / 2800 rpm	EGO PU2700 1,7 kW / 2,4 kW 2400 rpm / 2800 rpm
Recommended Configuration	Lithium-Ionen 2x 12 Ah 56V & PRO E rapid charger	Lithium-Ionen 2x 12 Ah 56V & PRO E rapid charger	Lithium-Ionen 2x 12 Ah 56V & PRO E rapid charger	Lithium-Ionen 2x 12 Ah 56V & PRO E rapid charger	Lithium-Ionen 2x 12 Ah 56V & PRO E rapid charger
Battery / charger models	PRO E BA6720T battery / PRO E CH7000E rapid charger	PRO E BA6720T battery / PRO E CH7000E rapid charger	PRO E BA6720T battery / PRO E CH7000E rapid charger	PRO E BA6720T battery / PRO E CH7000E rapid charger	PRO E BA6720T battery / PRO E CH7000E rapid charger
Runtime ¹⁾ ECO/TURBO	120 min / 90 min	85 min / 70 min	100 min / 80 min	85 min / 65 min	80 min / 60 min
Charging time ¹⁾ 73% / 100%	45 min / 75 min	45 min / 75 min	45 min / 75 min	45 min / 75 min	45 min / 75 min
Starting & Operation	Click & Go Soft-Grip	Click & Go Soft-Grip	Click & Go Soft-Grip	Click & Go Soft-Grip	Click & Go Soft-Grip
Drive ²⁾	Push	Variable speed 2,3-4,5 km/h	Variable speed 2,5-4,8 km/h	Variable speed 2,2-4,1 km/h	Variable speed 2,3-4,8 km/h
Cutting height adjustment	Central 8-fold 2,5-8,0 cm	For each wheel 7-fold 2,5-8,0 cm	For each wheel 7-fold 2,5-8,0 cm	For each axis 7-fold 3,0-9,5 cm	For each wheel 8-fold 2,5-10,5 cm
Mower chassis material	Aluminium with Steel inlets 15 Years warranty ³⁾	Aluminium with Steel inlets 15 Years warranty ³⁾	Aluminium with Steel inlets 15 Years warranty ³⁾	Steel 2 Years warranty ³⁾	Aluminium with Steel inlets 15 Years warranty ³⁾
Collector bag capacity	45 I	65 I	-	-	75 I
SABO Turbostar™- System	•	•	Side discharge	Mulching mower	•
Mulching	。 SAB10624	。 SAB10124	○ SAB10224	•	○ SAB10324
Height-adjustable handlebar	3-fold	3-fold	2-fold	3-fold	2-fold
Transportation & storage	Foldable handle & carrying handle	Foldable handle & carrying handle	Foldable handle	Foldable handle & carrying handle	Foldable handle & carrying handle
Wheel bearings front/rear	Ball bearing	Ball bearing/ Bronze slide bearing	Ball bearing/ Bronze slide bearing	Ball bearing/ Bronze slide bearing	Ball bearing/ Bronze slide bearing
Weight Without battery	37 kg	45,5 kg	45 kg	46 kg	52,5 kg
ltem no.	SA601324	SA621724	SA622224	SA622324	SA622424

• Standard • Accessories ¹ With recommended battery configuration, may vary depending on mowing habits, grass condition and cutting height ² Depending on the operating mode selected (ECO / TURBO) ³ Conditions valid for personal use only, the SABO warranty terms apply.



IPX5certified charger











You can find all the information about our commercial batterypowered lawn mowers at sabo-online.com

> For information on the commercial battery scarifier, see page 34

The EGO Power Unit PU2700 offers combustion engine-level performance and is specially designed to effortlessly tackle

even the most challenging terrai A convincing alternative to the traditional petrol lawn mower.



Accessories

Mulching kit 43-PRO E PUSH Mulching kit 47-PRO E VARIO Mulching kit 54-PRO E VARIO Mulching kit 50-PRO E S VARIO Professional rapid charger Professional battery 56 V 12 Ah

ltem no.

SAB10624 SAB10124 SAB10324 SAB10224 SAB10524 SAB10424

MUNICIPAL MOWERS

The powerful SABO high grass mowers and trimmers have been specially developed for the demanding tasks of garden and landscape maintenance. Whether mowing overgrown areas or cleaning paths and yards, these machines are equipped to meet any challenge.





60-PRO T PUSH

Efficient and precise: the 60-PRO T PUSH is ideal for cleaning paved paths and squares. The powerful HONDA GCV 200 engine and the 40 cm wheels offer maximum manoeuvrability, while the laterally adjustable trimmer head ensures precise results.

60-PRO T DRIVE

For hilly and extreme terrain, the 60-PRO T DRIVE combines the HONDA GCV 200 engine with a switchable drive, robust 13" pneumatic tyres and an efficient gearbox.

The ergonomically adjustable handle ensures comfort during long working sessions.









	50-PRO C DRIVE	60-PRO T PUSH	60-PRO T DRIVE	
Working width	50 cm	60 cm	60 cm	
Engine	Honda GXV 160 4-stroke-OHV	Honda GCV 200 4-stroke-OHV	Honda GCV 20 4-stroke-OHV	
Net power Displacement Engine speed	3,0 kW 163 cm ³ 3100 rpm	3,7 kW 200 cm ³ 2800 rpm	3,7 kW 200 cm ³ 2800 rpm	
Starting & Operation	Starter rope & Soft-Grip	Starter rope & Soft-Grip	Starter rope 8 Soft-Grip	
Anti-Vibrations- System	-	-	-	
Drice system	Manual transmission	-	Manual transmis	
Drive speed	1,6 km/h	-	1,6 km/h	
Cutting system	Pendulum wing / cross blade combination	Nylon string	Nylon string	
Cutting height adjustment	Continuously variable Skid adjustment 20 - 100 mm	Central 30, 45, 60 mm	Central 30, 45, 60 mm	
Handlebar	Foldable & 2-fold height adjustable	Foldable Fixed height	Foldable Fixed height	
Mower deck material / design	Steel fixed	Steel fixed	Steel fixed	
Safety features	Mower deck	Side panels	Side panels	
Fuel capacity	1,4 I	0,91	0,9 I	
Blade brake clutch	Band brake	Band brake	Band brake	
Räder	Steel rims with deep lug tyres	Rubber tyres	Steel rims wit deep lug tyre	
Wheel bearings	Keyway	Ball bearing	Keyway	
Weight	66 kg	40,5 kg	49,5 kg	
ltem no.	SA711024	SA700024	SA701024	
 Standard 		I	1	

Municipal mowers

> V 200 -0HV

ope & rip

missio

rina

mm

with tyres







All information about our SABO municipal mowers can be found at sabo-online.com

More products for commercial users can be found in the SABO professional catalogue



Accessories

60-PRO T PUSH / DRIVE - 10-pack kit trimmer lines

Item no. SAA20400

MADE FOR PROS.

Discover our entire range for professional users in the new SABO professional catalogue.

UNDER

CONTACT US. WE ARE HERE TO HELP!



This brochure is intended for worldwide distribution. Equipment in individual countries may differ from that described in this catalogue. The information provided by your local SABO retailer is authoritative. This catalogue is correct at the time of going to press in January 2025. We reserve the right to make changes to products, product names, article numbers, etc., e.g. due to technical developments, changes in legal regulations or as part of general model maintenance.

SABO

SABO-MASCHINENFABRIK GMBH

Auf dem Höchsten 22 D-51645 Gummersbach

THUNDER 85 C

Tel. +49 (0) 22 61 704 - 0

post@sabo-online.com www.sabo-online.com